

LPCB Red Book



Part: 2

**Fire doors, shutters and installers
of fire and security doors**

bre

Introduction

BRE Global Ltd, based in the UK near London, is an independent third party organisation offering certification of fire, security and sustainability products and services to an international market. LPCB is the certification brand used for fire and security products and services. The LPCB mark is accepted worldwide. We have representative offices in China, India and Dubai. We are owned by the BRE Trust, a not-for-profit organisation.

LPCB listings can be accessed, free of charge, at www.redbooklive.com. BRE Global additionally carries out:

- Fire Investigation
- Fire Risk Assessment
- Fire Safety Engineering
- Research
- Training

LPCB Listings

Listings are given in sections which list related groups of products and services such as suppression, security and so on. Each section also summarises the technical basis for the certification of each product or service. The Red Book listings should always be used in conjunction with rules, regulations and design specifications required by the relevant Authority having jurisdiction.

Listings comprise:

Volume 1:

- Fire detection and alarm products, systems, and cables
- Manual fire extinguishing equipment
- Automatic sprinkler, water spray and deluge systems
- Fixed fire fighting products and systems
- Watermist systems
- Related installers

Volume 2:

- Passive fire protection products
- Security protection products
- Fire doors and shutters
- Smoke and fire ventilation systems
- Security Assessments
- SABRE
- Related installers
- Management Systems
- Construction products

Listings are given in the name of the manufacturer or service provider, in alphabetical order. They can be downloaded free of charge from our website at www.redbooklive.com

Updates

Certification of products and services are updated regularly. To ensure that you are using the most up to date information please refer to www.redbooklive.com.

What is Third Party Certification?

A frequent concern of stakeholders is in knowing whether a product will perform in accordance with the

FOR SPECIFIERS AND REGULATORS:

stated specifications. These concerns can involve such product attributes as safety, health or environmental impacts, durability, compatibility, suitability for intended purposes or for stated conditions, and other similar considerations. These issues can all be addressed through product certification.

Third party certification is a conformity assessment process, carried out by a body that is independent of both supplier and customer organisations. It provides confirmation that products and services have met and will continue to meet the requirements of specified standards and other normative documents.

LPCB third party product certification schemes are quality assurance schemes and comprise initial type testing and technical evaluation, assessment and surveillance of the manufacturer's quality system and factory production procedures, regular audit testing, labelling and listing.

Similarly, LPCB schemes for suppliers of services (installers) are also quality assurance schemes comprising a technical assessment of an installer's capability, assessment and surveillance of the installer's quality system and production procedures, regular inspection of completed installations and listing.

Benefits of Third Party Certification

For specifiers, regulators, insurers, manufacturers and installers, the benefits of an LPCB approval are:

For specifiers and regulators:

- Risk reduction - specifying LPCB approved products and services demonstrates due-diligence and best endeavour and mitigates against possible accusations of negligence.
- Avoidance of costly mistakes - you can trust LPCB approved products and services to conform each and every time.
- Time - using Red Book Live to search for and assess products and services can save you time.

For manufacturers and installers:

- Increased global sales - LPCB approval is recognised and specified widely throughout the world. In some territories LPCB approval is a mandatory requirement.
- Added value of the product or service - LPCB approved products and services are recognised as providing added value given their ability to conform each and every time.
- Reduced liability - LPCB approved products and services demonstrate due-diligence which can reduce liability for both you and your customers.

What does LPCB Certification offer?

LPCB certification is carried out against Loss Prevention Standards (LPS's). These LPS's include reference to BS, EN or ISO standards as appropriate. LPCB certification are level 5 schemes as detailed in ISO/ IEC 17067 with the added requirement to have a quality system certificated to ISO 9001.

The technical requirements of LPCB schemes are given in the Loss Prevention Standards (LPSs). These documents are drafted by LPCB technical experts in conjunction with appropriate external experts. They are then peer reviewed by representatives from trade bodies, regulators, insurers, specifiers, manufacturers and other suppliers. Finally these documents are approved for use by the BRE Global Governing Body; the Body that oversees all of the certification activities of BRE Global.

Product schemes comprise:

- Initial type testing and evaluation of product.
- Approval and surveillance of the manufacturer's (or supplier's) quality management system to ISO 9001
- Assessment and surveillance of the manufacturer's (or supplier) factory production control system (FPC).
- Periodic audit testing of the product from either the factory or marketplace.
- Labelling or marking as appropriate.

INSTALLER SCHEMES COMPRISE:

- Listing on Red Book Live

Installer schemes comprise:

- Technical assessment of the installation contractor's capability.
- Approval and surveillance of the contractor's quality management system to ISO 9001 or assessment against the requirements of the relevant Loss Prevention Standard where ISO 9001 is not appropriate.
- Regular surveillance inspections of on-going installations.
- The issue of Certificates of Conformity by the installer to demonstrate compliance for each installation.
- Listing in the Red Book.

The LPCB Mark - the Mark you can trust

After certification of a product or service the manufacturer or service provider may place the LPCB certification mark, as shown below, on the product, packaging and literature etc.

Where LPCB holds accreditation through the United Kingdom Accreditation Service (UKAS), the certified company may include the UKAS symbol (the Crown and Tick) alongside the LPCB mark for certain applications e.g. promotional literature or material and stationery, as shown below.

(Full details of LPCB accreditation can be found on the UKAS website at www.ukas.com)

Where for reasons of space or cost the use of the above full mark is not practical, then the following simplified mark may be applied directly to the product (for some schemes only). The LPCB scheme rules define how and where the marks can be used.

Part 2

*Fire doors, shutters and
installers of fire and security
doors*

FIRE DOORS, SHUTTERS AND INSTALLERS OF FIRE AND SECURITY DOORS

introduction text from db for Fire doors *Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers.*

Introduction to LPS 1175

With much attention being placed on the role of emerging technologies in the fight against crime and terrorism, it is often easy to become detracted from the basics. However, good physical security is the bedrock of effective security. Without the delay to intrusion provided by effective physical security, detection simply tells you the intruder has been and gone. It is therefore always important to ensure suitable physical security measures are in place and that those measures provide sufficient delay to enable the intruder to be detected and a suitable response mounted to apprehend the intruder.

The delay provided by physical security products and systems is typically measured in terms of the tools and time required to achieve entry through those products and systems. These combine to indicate the effort required by an intruder to gain unauthorised access through the physical security barrier.

Using products and systems that achieve a higher rating, or using a layered approach to physical security, can greatly increase the effort an intruder needs to exert to gain entry. That effort extends beyond the physical work required to overcome the physical security barriers. It also includes the effort required to plan and prepare for the attack. The greater the level of planning and preparation a criminal must invest in to conduct a successful attack, the less likely that criminal will consider the return on their investment will be sufficient to warrant attempting that attack.

As the security ratings increase, the size and weight of tools used increases. Using larger, heavier tools increases an intruders likelihood of being detected through natural surveillance. They can also slow down the intruder if they need to carry those tools onto the site being attacked. This also increases the risk to the intruder of being caught. The greater that risk, the less likely the criminal is to conduct the attack in the first instance.

So how do security managers and other specifiers confirm whether a physical security product will afford a suitable delay against the tools and techniques likely to be employed by a determined intruder?

LPS 1175 Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers confirms the resistance to forced entry provided by security products, systems and building materials.

While Issues 6 and 7 specified eight levels of resistance (security ratings), the latest version (Issue 8) defines a performance classification formed of the following two elements:

- Threat level (first element) - Letter (A to H) corresponding with the tool kit used to evaluate the products intruder resistance and the number of attackers involved.
- Delay (second element) - Numeric value (1, 3, 5, 10, 15 or 20) corresponding with the minimum delay (in minutes) provided by the product when placed in a locked condition.

LPS 1175 covers the broadest scope of forced entry threat scenarios involving intruders that have little regard to the noise they make during attempts to achieve unauthorised access to assets, property and people. It also covers the broadest scope of physical security products and services of any publicly available standard in the world. This includes, but is certainly not restricted to, the following types of product:

· Access covers	· Garage doorsets	· Security screens
· Cladding systems	· Hinged doorsets	· Sheds and tool stores
· Containers	· Grilles	· Skylights
· Curtain walling systems	· Modular buildings	· Sliding doorsets
· Enclosures	· Partitioning systems	· Strongpoints
· Entrance portals	· Revolving doorsets	· Vehicles
· Fences and gates	· Roofing systems	· Walling systems
· Folding doorsets	· Security cabinets	· Windows

The classification system defined in LPS 1175 Issue 8 supports a layered approach to security, enabling the delay provided by products forming each layer of security to be determined against a common threat.

Further information on the security rating system and attack tools can be found in the standard itself, which can be downloaded for free from www.redbooklive.com.

TABLE OF CONTENTS

Firebreak doors and shutters	2
Lift landing doors	5
LPS 1197 - Inspection, repair and maintenance of fire and security doors and shutters	6
LPS 1271 - Fire and security door and shutter installers	8
Test section	9

FIREBREAK DOORS AND SHUTTERS

Wet Riser

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris placerat justo in ullamcorper suscipit. Maecenas congue lacus suscipit ante porttitor cursus. Pellentesque pulvinar molestie ultrices. Aenean euismod dignissim elit, in pulvinar magna consequat ut. Ut et lectus vel turpis luctus egestas. Praesent libero metus, dictum faucibus lacinia at, porttitor nec nisi. Cras venenatis posuere dolor, non pellentesque dui aliquet id. Vivamus quis auctor est, nec ultricies turpis.

Etiam tristique tortor ac eros suscipit, non volutpat enim condimentum. Maecenas eget sapien sapien. Nam neque ipsum, accumsan sed leo sed, aliquam condimentum risus. Nunc mollis sagittis nulla sed elementum. Sed fringilla sed tellus ut ultrices. Maecenas interdum orci id ipsum maximus finibus. Nam viverra nunc eget enim ultrices dictum. Vivamus neque ipsum, tincidunt a lorem eu, egestas vulputate justo. Praesent suscipit sed lorem vel venenatis. Mauris congue neque ac velit porttitor accumsan.

Nulla ipsum odio, tristique ac tempus quis, blandit non diam. Nam sodales enim quam, nec scelerisque magna luctus maximus. Praesent ut tempor tortor. Integer congue libero ac porttitor vulputate. Cras id finibus nunc. In hac habitasse platea dictumst. Vestibulum pulvinar nisl velit, a volutpat magna finibus lobortis. Vivamus nec sapien mi. Curabitur imperdiet a neque vitae pretium. Donec facilisis nulla a ex cursus pretium. Nullam velit quam, tempor et ultricies pellentesque, rutrum ac urna. Curabitur placerat magna velit, id malesuada turpis dictum eget. Nullam id sollicitudin ligula. Morbi nec mattis risus.

- FIREBREAK DOORS AND SHUTTERS1
- Lorem ipsum dolor sit amet2
- Lorem ipsum dolor sit amet3
- Lorem ipsum dolor sit amet4

AC Construction Ltd

Wise street, Nottingham, Nottinghamshire, United Kingdom

Tel: 23456789 • Alt Tel: 2345678

E-mail: ACconstruction@test.com

Certificate No: test to LPS 1175

test

Product Name	Test	Lorem ipsum dolor sit amet	Aenean fermentum euismod convallis	test1loremipsum12345/12412 test2test1loremipsum12345/12412 test3test1loremipsum12345/12412	test4test1loremipsum12345/12412 test5test1loremipsum12345/12412	test6test1loremipsum12345/12412 test7test1loremipsum12345/12412
loremipsumtestte stingtesting12345 //	60 50 40 (120) ED (165) 90 50 40 (180) ED (247) 90 40 47.5 (171) 92 42 48.5 (187.4) 120 50 40 (240) ED (330) 120 40 47.5 (228) 122 42 48.5 (248.5) 150 50 40 (300) ED (412)	Illoremipsumtestte stingtesting12345 //	loremipsumtestte stingtesting12345 //	loremipsumtestte stingtesting12345 //	loremipsumtestte stingtesting12345 //	loremipsumtestte stingtesting12345 //
test2loremipsumtestte stingtesting12345 //	60 50 40 (120) ED	loremipsumtestte stingtesting12345 //	loremipsumtestte stingtesting12345 //	loremipsumtestte stingtesting12345 //	loremipsumtestte stingtesting12345 //	loremipsumtestte stingtesting12345 //

FIREBREAK DOORS AND SHUTTERS

(165)
90 50
40
(180)
ED
(247)
90 40
47.5
(171)
92 42
48.5
(187.4)
120 50
40
(240)
ED
(330)
120 40
47.5
(228)
122 42
48.5
(248.5)
150 50
40
(300)
ED
(412)

test

- efwfwe
- dasddsa
- dwdwqdq

Test-Company 100401

test, test, GWE345, United Kingdom

E-mail: test@test.com • Website: company 100401.com

Certificate No: CERT 100503 to LPS 1175

Prod Grp 100503

Product Name	Description	LPCB Ref. No
Prod name 10050101	<p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut ac enim nec sapien fringilla aliquam. Suspendisse semper quam blandit dolor ultrices convallis. Ut commodo elementum justo, sed viverra ante luctus vitae. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Donec posuere eros in tristique blandit. Suspendisse vel magna vitae libero gravida maximus at eget purus. Integer scelerisque odio at eros condimentum, non aliquam nisl accumsan. Cras sed velit ac velit scelerisque rutrum. Suspendisse mattis ligula at metus molestie, quis gravida magna ullamcorper. Cras molestie aliquam ante eu tincidunt. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos.</p> <p>Notes:</p> <ol style="list-style-type: none">1. testing2. Lorem ipsum dolor sit amet, consectetur adipiscing elit.3. Ut ac enim nec sapien fringilla aliquam.	LPCB 10050301

Detectors:

20-SG100-ADV Wireless optical smoke detector

20-SG200-ADV Wireless multi-criteria detector

20-SG350-ADV Wireless heat detector

Ancillaries

Axis-WSM Addressable module with short circuit isolator

FIREBREAK DOORS AND SHUTTERS

Certificate No: CERT 101801 to LPS 1175

Prod grp 101801

Product Name	Description	LPCB Ref. No
prod name	test	LPCB 101801

test

Test-Company-100301

Test line one, Test line two, London, United Kingdom

E-mail: testcompany@test.com

Certificate No: CERT 101802 to LPS 1175

Prod grp 101802

Product Name	Description	LPCB Ref. No
prod name 101802	test	LPCB 101802

LIFT LANDING DOORS

Wet Riser

LPS 1197 - INSPECTION, REPAIR AND MAINTENANCE OF FIRE AND SECURITY DOORS AND SHUTTERS

Wet Riser

AC Construction ltd

Wise street, Nottingham, Nottinghamshire, United Kingdom

Tel: 23456789 • Alt Tel: 2345678

E-mail: ACconstruction@test.com

Certificate No: CERT 041001 to LPS 1175

the company is assessed and approved for :

- Inspection
- Maintenance services and one off general repair

Of :

- Security shutters

Product Groups :

- Hinged and pivoted timber doorsets
- Openable timber framed windows
- Hinged and pivoted, metal framed, glazed doorsets and openable windows

Company 1

Line 1, London, United Kingdom

E-mail: test@comp.com

Certificate No: MG 000223 to LPS 1175

Passive Installer test

Product Name	Description	LPCB Ref. No
MG Installer 2 new prod	Product notes for Passive installers	LPS 1197

Company 1

Line 1, London, United Kingdom

E-mail: test@comp.com

Certificate No: Cert_2 to LPS 1175

Certificate No: cert_1197 to LPS 1175

the company is assessed and approved for:

- - Maintenance services and one off general repair
- - Emergency repair and response services

Of:

- - Hinged and pivoted timber doorsets
- - Steel rolling shutters

Product Groups:

- - Grills

Certificate No: MG 000234 to LPS 1175

New Approval level text

the company is assessed and approved for:

-
-
- - Maintenance services and one off general repair

Of:

25 Apr 2025

Page 6 of 10

LPS 1197 - INSPECTION, REPAIR AND MAINTENANCE OF FIRE AND SECURITY DOORS AND SHUTTERS

- - Hinged and pivoted glass doorsets

Product Groups:

- - Doors
- - Shutters
- - Openable timber framed windows
-

Test-Company 100401

test, test, GWE345, United Kingdom

E-mail: test@test.com • Website: company 100401.com

Certificate No: test to LPS 1175

Test prod desc 1017

Product Name	Description	LPCB Ref. No
tes	-	LPCB 101704

Test-Company 110301

Test line one, Line two, line three, Test City, Test County, GWE3515, United Kingdom

Tel: 4728656729 • Alt Tel: 4728656730

E-mail: testcompany@company.com

Certificate No: CERT 110302-serv to LPS 1175

the company is assessed and approved for :

- Inspection

Of :

- Security shutters

Product Groups :

- Hinged and pivoted glass doorsets

Approval Level 3

Approved to self-certificate the following Categories of Work: A, B, C, D, E

No supervision required

Wet Riser

Test-Company 110301

Test line one, Line two, line three, Test City, Test County, GWE3515, United Kingdom

Tel: 4728656729 • Alt Tel: 4728656730

E-mail: testcompany@company.com

Certificate No: CERT 110802 serv to LPS 1175

test

Appendices :

-

TEST SECTION

Wet Riser

Bipul's Test 2

Bipul Test 2 - Company address 1, Bhairahawa, Nepal

Certificate No: test to LPS 1175

test

Product Name	Description	LPCB Ref. No
test	tet	test

test

- ferfre
- gfhgfhg
- fghgfh

dc sdf

Company 1

Line 1, London, United Kingdom

E-mail: test@comp.com

Certificate No: CERT 101601 to LPS 1175

Design, installation and commissioning of industrial & commercial fire sprinklers systems.
Design, installation, commissioning and servicing of industrial & commercial fire sprinklers systems.
Design, installation and commissioning of industrial & commercial and residential & domestic fire sprinklers systems.
Design, installation, commissioning and servicing of industrial & commercial and residential & domestic fire sprinklers systems.

Darren test

2 Lane, telford, United Kingdom

Certificate No: 010ah-(cl-9) to test

Cert num test

Product Name	LPCB Ref. No.
Cert num test	12111

- swsqw

Certificate No: 1450 to LPS 1175

Suspension test 2

Product Name	LPCB Ref. No.
test 2	450f

s

